

STAR
3.0
2.0

catalogue 2023

STARGRES®

02	about us
18	Star 3.0/2.0 collection
20	peacock
32	pizarra
38	danzig
46	downtown
52	pietra serena
58	select
66	suomi
70	halifax
74	stark
80	vals
84	spectre
88	town
94	technical information
96	packing system
97	technical features
98	display system
100	layout description
102	format index

38	danzig
46	downtown
70	halifax
20	peacock
52	pietra serena
32	pizarra
58	select
84	spectre
74	stark
66	suomi
88	town
80	vals



catalogue 2023

**From one pallet per day in 1989,
to 27 million sqm of annual production in 30 years**

After graduation,
Mirosław Szymański
starts working
at a ceramics plant
in Opoczno

1976

During the period of political
transformation in Poland,
together with his four
colleagues sets up **CERROL**,
a company manufacturing tiles
in double-firing technology

1989

He becomes the chief
mechanic at ZZPC
Opoczno and later the
Technical Director

1980

The Polish partners establish
CERAMIKA KÓNSKIE,
which was joined by **Adriano
Frascari** – owner of a bisque
manufacturing company

1994

CERART STUDIO,
a manufacturer of
decorations complementing
wall collections, is established

1996

They launch Europe's
largest bisque
manufacturing company

2000

Mirosław Szymański receives the
Badge of Honor for meritorious
performance in the construction
industry and is awarded the Silver
Cross of Merit by the President of
the Republic of Poland

2004

STARGRES company
is established, where
production of gres
tiles begin. Initially
33x33 cm format only

2005

The Partners take over
CERAMIKA COLOR.
Total production of
ceramic wall tiles reaches
6 million sqm per year

2008


STARGRES is the
first manufacturer
in Poland and second
in the world to introduce
3 cm thick tile – **STAR 3.0**

2014

Creation of a new
CERAMICA BIANCA
brand

2019

KÓNSKIE
GROUP
since 1989



For more than 30 years, the Końskie Group has been growing and building its value on the ceramic tile market

As a group, we invest in technology, development and most importantly, in our employees. Końskie Group is a family-owned company, devoid of unhealthy rivalry. The design of our collections is the result of cooperation between the best European graphic studios and the experience of Końskie Group employees.

We are inspired by the beauty of nature, the richness of culture and the diversity of art and the resulting wide range of products allows one to design an infinite number of space arrangements in and around the house.

Dynamic development – modern production lines

The short decision-making path allowed us to open in 2019 another modern production line, which enables the production of **3 cm thick 90x90 cm gres tiles**, with a strength of over 3 tons of pressure.

Also, during the tough period the global economy was in, caused by, among other things, the COVID-19 pandemic, we managed to increase our capital, which enable the companies plan further dynamic development.

In April 2022, we launched two more 3 cm thick gres slab production lines. This gives us an increase of **1 million sqm** in annual production of terrace gres tiles.



Wiktoria Czyżewska

2020/2021 European Champion in MMA
2021 Polish Champion in MMA
2022 Polish Champion in MMA



Charlotte Glaser

2019 German Champion in WKU in the class up to 57 kg
2020 European Champion in WKU in the class up to 60 kg
2021 European Champion in WKU in the class up to 57 kg

Thanks to business predictability, investments in technologies and people, the **Końskie Group** is constantly increasing its turnover. Over the last few years, multiple crucial talks, and above all thanks to good decisions, as a Group, we came out with increased capital.


The above led to the fact that under the wings of the **Stargres** brand we accepted two champions of various combat sports - **Wiktoria Czyżewska** and **Charlotte Glaser**. The contestants represent various fighting styles, but they share common characteristics - the will to constantly improve, perseverance and in the first place, hard work.

We are proud to support talented women whose stories can inspire crowds.



60% of sales are exports to 51 countries worldwide


Our geographic location offers good communication and logistics. An uninterrupted supply chain has been helping us to seamlessly transport our product for years – in our 30 years of operation, the Końskie Group has managed to reach 51 countries across all continents.



Quality of our products confirmed by numerous certificates and attestations

The beautiful design is accompanied by excellent quality. We are aware that the customers' expectations are growing every year, which is why we are upgrading our machinery in accordance with certificates in line with European standards. In addition, we received a confirmation of a Type III Environmental Declaration (EPD).

In 2021, at all plants belonging to the Końskie Group, we introduced Quality Management Systems for the production and sales of ceramic tiles in the form of ISO 9001:2015.



We owe the success of our company to all the people who make it up

We are far from corporate structures in our management. It is best evidenced by the low rate of employee turnover, thanks to which the Końskie Group has a permanent, well-trained staff. Good human resources management results in lower bureaucracy, quick decision-making and consequently, professional customer service.

Among many Polish companies, we are distinguished by a management style, whose philosophy is based on direct contact with the customer, supplier or intermediary. We are guided by one premise – our product is created with the human being in mind.







Ceramic tile production is closely related to nature, ecology and care for natural resources

For the sake of the environment, we shorten the supply chain of raw materials to production facilities as much as possible. With the use of modern production techniques available throughout the industrial process, we minimize air pollutants emission and reduce electricity consumption. We take care to minimize the use of water, energy and packaging. We are investing in solutions to reduce gas emission. The Group's nature conservation activities have been further confirmed by a **Type III Environmental Declaration (EPD)** developed under the guidelines set out in **PN-EN 15804** and verified by an independent auditor in accordance with **ISO 14025**.

The ecological quality of the cycle makes it possible to reduce the consumption of natural resources and reduce the harmful impact on the environment.

We assure you that we will continue our efforts to improve products, services and customer service.





DesignNature & Końskie Group

WIn the face of new environmental challenges, we recognize the need for changes in approach to the product. Being aware of our environmental footprint, we decided to become a Design Summer School Season 2022 Partner. Integrating technology with creativity opens pathways for us to look at our product differently.

DesignNature is a community based on shared values of holistic, sustainable design, respect for nature and an appetite for the good life – bringing people, organizations and businesses together to create unique creative synergies.

The creative campus, located in a beautiful natural setting, combines stimulating creative thinking with an advanced machinery park. It includes fully-equipped, comprehensive prototype facilities for conducting extensive interdisciplinary research and development processes.





Tomasz Rygalik



Gosia Rygalik



Franek Wardyński



Lia Forslund

Design Summer School 2022

Our vision is consistent with ecological and sustainable development and, above all, with care for natural resources. Surrounding ourselves with experts in their fields inspires us and supports our business.


Workshops led by **Tomek** and **Gosia Rygalik**, as well as **Lia Forslund** and **Frank Wardyński**, took participants through a process of conceptual and practical creative work in the soothing natural surroundings of the **DesignNature campus in Sobole**.

The point of inspiration was the production of ceramic tiles, which is at the heart of our business and is closely connected to nature. All four elements - earth, water, air and fire - are part of the production process, in which everything is interdependent, interrelated and interconnected. Therefore, each week of the workshop was dedicated to one of the elements.


2022 is the year of a new look at our business and the world around us. We are glad that we were given the opportunity to harness the potential of our industry to create new solutions related directly to ceramic tile.



STARGRES®



collection book



- 20 peacock
- 32 pizarra
- 38 danzig
- 46 downtown
- 52 pietra serena
- 58 select
- 66 suomi
- 70 halifax
- 74 stark
- 80 vals
- 84 spectre
- 88 town

STAR
3.0

STAR
2.0

60x120/24"x48" • 90x90/36"x36" • 45x90/18"x36"
60x60/24"x24" • 30x120/12"x48"

peacock collection

60x60/24"x24" • 90x90/36"x36"



PEI
IV

R11



STAR
3.0 ■ STAR
2.0

60x60/24"x24" rectified

STAR
3.0 ■ STAR
2.0

90x90/36"x36" rectified






black 60x60x3/24"x24"x1,20" • 60x60x2/24"x24"x0,80" rectified




black 90x90x3/36"x36"x1,20" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
black	90x90/36"x36"	30/1,20"	5901503221242	mat	13	R11	IV	✓
	90x90/36"x36"	20/0,80"		mat	13	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503223802	mat	13	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503220009	mat	13	R11	IV	✓

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	m ² /sq ft pallet	kg/lb pallet
90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20	16,2/174,40	1120/2469
90x90/36"x36"	20/0,80"	1	0,81/8,72	35,2/77,20	30	24,3/261,56	1080/2380
60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050






rusty 60x60x3/24"x24"x1,20" • 60x60x2/24"x24"x0,80" rectified



rusty 90x90x3/36"x36"x1,20" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
rusty	90x90/36"x36"	30/1,20"	5901503221228	mat	17	R11	IV	✓
	90x90/36"x36"	20/0,80"		mat	17	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503223826	mat	17	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503220023	mat	17	R11	IV	✓

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	m ² /sq ft pallet	kg/lb pallet
90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20	16,2/174,40	1120/2469
90x90/36"x36"	20/0,80"	1	0,81/8,72	35,2/77,20	30	24,3/261,56	1080/2380
60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050




/inspired by/stone look

peacock rusty 90x90x3/36"x36"x1,20"
/rectified/




copper 60x60x3/24"x24"x1,20" • 60x60x2/24"x24"x0,80" rectified




copper 90x90x3/36"x36"x1,20" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
copper	90x90/36"x36"	30/1,20"	5901503218280	mat	19	R11	IV	✓
	90x90/36"x36"	20/0,80"		mat	19	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503223840	mat	19	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503220047	mat	19	R11	IV	✓

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	m ² /sq ft pallet	kg/lb pallet
90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20	16,2/174,40	1120/2469
90x90/36"x36"	20/0,80"	1	0,81/8,72	35,2/77,20	30	24,3/261,56	1080/2380
60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050





blue 60x60x3/24"x24"x1,20" • 60x60x2/24"x24"x0,80" rectified




blue 90x90x3/36"x36"x1,20" rectified


color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
blue	90x90/36"x36"	30/1,20"	5901503221204	mat	4	R11	IV	✓
	90x90/36"x36"	20/0,80"		mat	4	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503223864	mat	4	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503220061	mat	4	R11	IV	✓

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	m ² /sq ft pallet	kg/lb pallet
90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20	16,2/174,40	1120/2469
90x90/36"x36"	20/0,80"	1	0,81/8,72	35,2/77,20	30	24,3/261,56	1080/2380
60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050





sand 60x60x3/24"x24"x1,20" • 60x60x2/24"x24"x0,80" rectified




sand 90x90x3/36"x36"x1,20" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
sand	90x90/36"x36"	30/1,20"	5901503223789	mat	15	R11	IV	✓
	90x90/36"x36"	20/0,80"		mat	15	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503221723	mat	15	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503220085	mat	15	R11	IV	✓


format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	m ² /sq ft pallet	kg/lb pallet
90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20	16,2/174,40	1120/2469
90x90/36"x36"	20/0,80"	1	0,81/8,72	35,2/77,20	30	24,3/261,56	1080/2380
60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050



60x60/24"x24" • 45x90/18"x36" • 60x120/24"x48" • 90x90/36"x36"



•
*
PEI
IV
R11
□
□
■■



60x60/24"x24" rectified

45x90/18"x36" rectified

60x120/24"x48" rectified

90x90/36"x36" rectified






grey 60x60x3/24"x24"x1,20" • 60x60x2/24"x24"x0,80" rectified



grey 45x90x3/18"x36"x1,20" • 45x90x2/18"x36"x0,80" rectified



dark grey 60x60x3/24"x24"x1,20" • 60x60x2/24"x24"x0,80" rectified




dark grey 45x90x3/18"x36"x1,20"
• 45x90x2/18"x36"x0,80" rectified



grey 60x120x2/24"x48"x0,80" rectified



grey 90x90x3/36"x36" • 90x90x2/36"x36"x0,80" rectified



dark grey 60x120x2/24"x48"x0,80" rectified




dark grey 90x90x3/36"x36"x1,20"
• 90x90x2/36"x36"x0,80" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
grey	90x90/36"x36"	30/1,20"	5901503218679	mat	9	R11	IV	✓
	90x90/36"x36"	20/0,80"	5901503221440	mat	9	R11	IV	✓
	60x120/24"x48"	20/0,80"	5901503220429	mat	6	R11	IV	✓
	45x90/18"x36"	30/1,20"	5901503221372	mat	6	R11	IV	✓
	45x90/18"x36"	20/0,80"	5901503220221	mat	6	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503210499	mat	11	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503220238	mat	11	R11	IV	✓

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	m ² /sq ft pallet	kg/lb pallet
90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20	16,2/174,40	1120/2469
90x90/36"x36"	20/0,80"	1	0,81/8,72	35,2/77,20	30	24,3/261,56	1080/2380
60x120/24"x48"	20/0,80"	1	0,72/7,75	32/70,55	34	24,48/263,50	1088/2399
45x90/18"x36"	30/1,20"	1	0,40/4,31	28/61,73	32	12,80/137,80	896/1975

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
dark grey	90x90/36"x36"	30/1,20"	5901503219942	mat	9	R11	IV	✓
	90x90/36"x36"	20/0,80"	5901503221426	mat	9	R11	IV	✓
	60x120/24"x48"	20/0,80"	5901503220436	mat	6	R11	IV	✓
	45x90/18"x36"	30/1,20"	5901503221389	mat	6	R11	IV	✓
	45x90/18"x36"	20/0,80"	5901503220245	mat	6	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503210505	mat	11	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503220252	mat	11	R11	IV	✓

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	m ² /sq ft pallet	kg/lb pallet
45x90/18"x36"	20/0,80"	2	0,81/8,72	37/81,55	24	19,44/209,25	915/2016
60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050



antracite 60x60x3/24"x24"x1,20" • 60x60x2/24"x24"x0,80" rectified



antracite 45x90x3/18"x36"x1,20" • 45x90x2/18"x36"x0,80" rect.



antracite 60x120x2/24"x48"x0,80" rectified



antracite 90x90x3/36"x36" • 90x90x2/36"x36"x0,80" rectified



cream 60x60x2/24"x24"x0,80" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
antracite	90x90/36"x36"	30/1,20"	5901503218655	mat	9	R11	IV	✓
	90x90/36"x36"	20/0,80"	5901503221402	mat	9	R11	IV	✓
	60x120/24"x48"	20/0,80"	5901503218327	mat	6	R11	IV	✓
	45x90/18"x36"	30/1,20"	5901503220955	mat	6	R11	IV	✓
	45x90/18"x36"	20/0,80"	5901503220269	mat	6	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503210512	mat	11	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503220276	mat	11	R11	IV	✓

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	m ² /sq ft pallet	kg/lb pallet
90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20	16,2/174,40	1120/2469
90x90/36"x36"	20/0,80"	1	0,81/8,72	35,2/77,20	30	24,3/261,56	1080/2380
60x120/24"x48"	20/0,80"	1	0,72/7,75	32/70,55	34	24,48/263,50	1088/2399
45x90/18"x36"	30/1,20"	1	0,40/4,31	28/61,73	32	12,80/137,80	896/1975

color	format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	m ² /sq ft pallet	kg/lb pallet
cream	60x60/24"x24"	20/0,80"	5901503221891	mat	12	R11	IV	✓
	45x90/18"x36"	20/0,80"	2	0,81/8,72	37/81,55	24	19,44/209,25	915/2016
	60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050

danzig collection

60x60/24"x24" • 45x90/18"x36" • 90x90/36"x36"



PEI
IV

R11



STAR
3.0 STAR
2.0

60x60/24"x24" rectified

STAR
3.0

45x90/18"x36" rectified

STAR
3.0

90x90/36"x36" rectified





white 60x60x2/24"x24"x0,80" rectified




natural 60x60x2/24"x24"x0,80" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
white	60x60/24"x24"	20/0,80"	5901503206416	mat	9	R11	IV	✓
natural	60x60/24"x24"	20/0,80"	5901503206409	mat	9	R11	IV	✓

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	m ² /sq ft pallet	kg/lb pallet
60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050



taupe 60x60x2/24"x24"x0,80" rectified




taupe 90x90x3/36"x36"x1,20" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
taupe	90x90/36"x36"	30/1,20"	5901503220467	mat	9	R11	IV	✓

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	m ² /sq ft pallet	kg/lb pallet
90x90/36"x36"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205




grey 60x60x2/24"x24"x0,80" rectified



grey 60x60x3/24"x24"x1,20" rectified



grey 45x90x3/18"x36"x1,20" rectified




brown 60x60x3/24"x24"x1,20" rectified • 60x60x2/24"x24"x0,80" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
grey	90x90/36"x36"	30/1,20"	5901503218617	mat	5	R11	IV	✓
	45x90/18"x36"	30/1,20"	5901503209882	mat	6	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503207536	mat	12	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503206423	mat	9	R11	IV	✓

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	m ² /sq ft pallet	kg/lb pallet
90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20	16,2/174,40	1120/2469
45x90/18"x36"	30/0,80"	1	0,40/4,31	28/61,73	32	12,80/137,80	896/1975

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
brown	60x60/24"x24"	30/1,20"	5901503207734	mat	12	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503209592	mat	9	R11	IV	✓

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	m ² /sq ft pallet	kg/lb pallet
60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050



antr. 60x60x2/24"x24"x0,80" rectified



antr. 60x60x3/24"x24"x1,20" rectified



antracite 45x90x3/18"x36"x1,20" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
antracite	90x90/36"x36"	30/1,20"	5901503218631	mat	5	R11	IV	✓
	45x90/18"x36"	30/1,20"	5901503209899	mat	7	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503207550	mat	12	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503206430	mat	9	R11	IV	✓

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	m ² /sq ft pallet	kg/lb pallet
90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20	16,2/174,40	1120/2469
45x90/18"x36"	30/0,80"	1	0,40/4,31	28/61,73	32	12,80/137,80	896/1975
60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050



danzig white 60x60x2/24"x0,80"
/rectified/

 /inspired by/concrete look

downtown collection

60x60/24"x24" • 90x90/36"x36"



STAR
3.0 ■ 2.0

60x60/24"x24" rectified

STAR
3.0

90x90/36"x36" rectified



/inspired by/ **concrete look**

collection formats

available colours



grey 60x60x2/24"x24"x0,80" rectified



decor 90x90x3/36"x36"x1,20" rectified



grey 60x60x3/24"x24"x1,20" rectified




grey 90x90x3/36"x36"x1,20" rectified



taupe 60x60x2/24"x24"x0,80" rectified



taupe 60x60x3/24"x24"x1,20" rectified



taupe 90x90x3/36"x36"x1,20" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
grey	90x90/36"x36"	30/1,20"	5901503218570	mat	6	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503208144	mat	12	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503203866	mat	9	R11	IV	✓
decor	90x90/36"x36"	30/1,20"	5901503220375	mat	1	R11	IV	✓

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	m ² /sq ft pallet	kg/lb pallet
90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20	16,2/174,40	1120/2469
60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
taupe	90x90/36"x36"	30/1,20"	5901503218594	mat	7	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503208168	mat	12	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503203859	mat	9	R11	IV	✓

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	m ² /sq ft pallet	kg/lb pallet
90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20	16,2/174,40	1120/2469
60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050



antr. 60x60x2/24"x24"x0,80" rectified



antr. 60x60x3/24"x24"x1,20" rectified



antracite 90x90x3/36"x36"x1,20" rectified




color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
antracite	90x90/36"x36"	30/1,20"	5901503218198	mat	13	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503208151	mat	6	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503203873	mat	9	R11	IV	✓

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	m ² /sq ft pallet	kg/lb pallet
90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20	16,2/174,40	1120/2469
60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050

pietra serena collection

60x120/24"x48" • 45x90/18"x36" • 30x120/12"x48" • 60x60/24"x24"



PEI
IV

R11



STAR
3.0 STAR
2.0

60x60/24"x24" rectified

STAR
3.0


45x90/18"x36" rectified


30x120/12"x48" rectified step tile

STAR
2.0

STAR
2.0

60x120/24"x48" rectified





cream 60x60x3/24"x24"x1,20" rectified • 60x60x2/24"x24"x0,80" rectified



cream 60x120x2/24"x28x0,80" rectified



cream 30x120x2/12"x48"x0,80" rectified step tiles



cream 45x90x3/18"x36"x1,20" rectified



grey 60x60x3/24"x24"x1,20" rectified • 60x60x2/24"x24"x0,80" rectified



grey 60x120x2/24"x28x0,80" rectified



grey 30x120x2/12"x48"x0,80" rectified step tiles



grey 45x90x3/18"x36"x1,20" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
cream	60x120/24"x48"	20/0,80"	5901503211243	mat	6	R11	IV	✓
	30x120/12"x48"	20/0,80"	5902706502817	mat step tile	multi	R11	IV	✓
	45x90/18"x36"	30/1,20"	5901503209691	mat	6	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503212080	mat	6	R11	IV	✓
	60x60/24"x24"	20/0,80"	5907641449982	mat	6	R11	IV	✓

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
grey	60x120/24"x48"	20/0,80"	5901503211229	mat	6	R11	IV	✓
	30x120/12"x48"	20/0,80"	5902706502824	mat step tile	multi	R11	IV	✓
	45x90/18"x36"	30/1,20"	5901503209684	mat	6	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503212097	mat	6	R11	IV	✓
	60x60/24"x24"	20/0,80"	5907641446219	mat	6	R11	IV	✓

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	m ² /sq ft pallet	kg/lb pallet
60x120/24"x48"	30/1,20"	1	0,72/7,75	32/70,55	34	24,48/263,50	1088/2399
30x120/12"x48"	20/0,80"	1	0,36/3,87	16/35,27	50	18/193,50	800/1764
45x90/18"x36"	30/1,20"	1	0,40/4,31	28/61,73	32	12,80/137,80	896/1975

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	m ² /sq ft pallet	kg/lb pallet
60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050



antracite 60x60x3/24"x24"x1,20" rectified • 60x60x2/24"x24"x0,80" rectified



black 60x60x3/24"x24"x1,20" rectified
60x60x2/24"x24"x0,80" rectified



antracite 60x120x2/24"x28x0,80" rectified




antracite 30x120x2/12"x48"x0,80" rectified step tiles



antracite 45x90x3/18"x36"x1,20" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
antracite	60x120/24"x48"	20/0,80"	5901503211236	mat	6	R11	IV	✓
	30x120/12"x48"	20/0,80"	5902706502831	mat step tile	multi	R11	IV	✓
	45x90/18"x36"	30/1,20"	5901503209677	mat	6	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503212110	mat	6	R11	IV	✓
black	60x60/24"x24"	20/0,80"	5907641444321	mat	6	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503212103	mat	6	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503207192	mat	6	R11	IV	✓

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	m ² /sq ft pallet	kg/lb pallet
60x120/24"x48"	30/1,20"	1	0,72/7,75	32/70,55	34	24,48/263,50	1088/2399
30x120/12"x48"	20/0,80"	1	0,36/3,87	16/35,27	50	18/193,50	800/1764
45x90/18"x36"	30/1,20"	1	0,40/4,31	28/61,73	32	12,80/137,80	896/1975
60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050



select collection

60x60/24"x24" • 45x90/18"x36" • 60x120/24"x48"



PEI
IV

R11



STAR
2.0

60x120/24"x48" rectified

STAR
3.0

STAR
2.0

60x60/24"x24" rectified

STAR
3.0

STAR
2.0

45x90/18"x36" rectified





beige 60x60x3/24"x24"x1,20" rectified • 60x60x2/24"x24"x0,80" rectified




beige 45x90x3/18"x36"x1,20" rectified



grey 60x60x3/24"x24"x1,20" rectified • 60x60x2/24"x24"x0,80" rectified



grey 45x90x3/18"x36"x1,20" rectified



beige 60x120x2/24"x48"x0,80" rectified



grey 60x120x2/24"x48"x0,80" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
beige	60x120/24"x48"	20/0,80"	5901503216781	mat	10	R11	IV	✓
	45x90/18"x36"	30/1,20"	5901503215807	mat	6	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503215067	mat	7	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503216774	mat	6	R11	IV	✓

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	m ² /sq ft pallet	kg/lb pallet
60x120/24"x48"	20/0,80"	1	0,72/7,75	32/70,55	34	24,48/263,50	1088/2399
60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
grey	60x120/24"x48"	20/0,80"	5901503220320	mat	7	R11	IV	✓
	45x90/18"x36"	30/1,20"	5901503215845	mat	6	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503212127	mat	9	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503220351	mat	9	R11	IV	✓

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	m ² /sq ft pallet	kg/lb pallet
45x90/18"x36"	30/1,20"	1	0,40/4,31	28/61,73	32	12,80/137,80	896/1975
45x90/18"x36"	30/1,20"	1	0,40/4,31	28/61,73	32	12,80/137,80	896/1975




brown 60x60x3/24"x24"x1,20" rectified • 60x60x2/24"x24"x0,80" rectified




brown 45x90x3/18"x36"x1,20" rectified




antracite 60x60x3/24"x24"x1,20" rectified • 60x60x2/24"x24"x0,80" rectified



antracite 45x90x3/18"x36"x1,20" rectified



brown 60x120x2/24"x48"x0,80" rectified



antracite 60x120x2/24"x48"x0,80" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
brown	60x120/24"x48"	20/0,80"	5901503217047	mat	8	R11	IV	✓
	45x90/18"x36"	30/1,20"	5901503215821	mat	6	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503215074	mat	6	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503217030	mat	6	R11	IV	✓

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	m ² /sq ft pallet	kg/lb pallet
60x120/24"x48"	20/0,80"	1	0,72/7,75	32/70,55	34	24,48/263,50	1088/2399
60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
antracite	60x120/24"x48"	20/0,80"	5901503218402	mat	6	R11	IV	✓
	45x90/18"x36"	30/1,20"	5901503223888	mat	6	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503212134	mat	9	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503217955	mat	9	R11	IV	✓


format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	m ² /sq ft pallet	kg/lb pallet
45x90/18"x36"	30/1,20"	1	0,40/4,31	28/61,73	32	12,80/137,80	896/1975



terra 60x60x3/24"x24"x1,20" rectified



blue 60x60x3/24"x24"x1,20" rectified



grey 60x60x3/24"x24"x1,20" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
terra	60x60/24"x24"	30/1,20"	5901503219881	mat	1	R11	IV	✓
blue	60x60/24"x24"	30/1,20"	5901503219874	mat	1	R11	IV	✓
grey	60x60/24"x24"	30/1,20"	5901503219867	mat	1	R11	IV	✓

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	m ² /sq ft pallet	kg/lb pallet
60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205

select blue 60x60x3/24"x1,20"
/rectified/

suomi collection

45x90/18"x36"



●
✳
PEI
IV
R11
□
□
■■■

STAR
3.0

45x90/18"x36" rectified



/inspired by/ **wood look**

collection formats

available colours




cream 45x90x3/18"x36"x1,20" rectified



brown 45x90x3/18"x36"x1,20" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
cream	45x90/18"x36"	30/1,20"	5901503209790	mat	9	R11	IV	✓
brown	45x90/18"x36"	30/1,20"	5901503209783	mat	9	R11	IV	✓

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	m ² /sq ft pallet	kg/lb pallet
45x90/18"x36"	30/1,20"	1	0,40/4,31	28/61,73	32	12,80/137,80	896/1975

suomi brown 45x90x3/18"x36"x1,20"
/rectified/

halifax collection

45x90/18"x36"



•
*
PEI
IV
R11
□
□
■

3.0

45x90/18"x36" rectified



/inspired by/ **wood look**

collection formats

available colours



natural 45x90x3/18"x36"x1,20" rectified



gold 45x90x3/18"x36"x1,20" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
natural	45x90/18"x36"	30/1,20"	5901503214282	mat	12	R11	IV	✓
gold	45x90/18"x36"	30/1,20"	5901503214299	mat	12	R11	IV	✓

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	m ² /sq ft pallet	kg/lb pallet
45x90/18"x36"	30/1,20"	1	0,40/4,31	28/61,73	32	12,80/137,80	896/1975

halifax natural 45x90x3/18"x36"x1,20"
/rectified/

stark collection

60x60/24"x24" • 90x90/36"x36" • 60x120/24"x48"



R11



60x120/24"x48" rectified



STAR
3.0

STAR
2.0

60x60/24"x24" rectified

90x90/36"x36" rectified



/inspired by/ **stone look**

collection formats


available colours



white 60x60x3/24"x24"x1,20" rectified • 60x60x2/24"x24"x0,80" rectified




white 90x90x3/36"x36"x1,20" rectified



white 60x120x2/24"x48"x0,80" rectified



pure grey 60x60x3/24"x24"x1,20" rectified • 60x60x2/24"x24"x0,80" rectified



pure grey 60x120x2/24"x48"x0,80" rectified



pure grey 90x90x3/36"x36"x1,20" rectified




pure grey 90x90x2/36"x36"x0,80" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
white	60x120/24"x48"	20/0,80"	5901503211793	mat	8	R11	IV	✓
	90x90/36"x36"	30/1,20"	5901503218891	mat	7	R11	IV	✓
	90x90/36"x36"	20/0,80"	5901503223901	mat	7	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503207864	mat	6	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503222041	mat	6	R11	IV	✓


format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	m ² /sq ft pallet	kg/lb pallet
60x120/24"x48"	20/0,80"	1	0,72/7,75	32/70,55	34	24,48/263,50	1088/2399
90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20	16,2/174,40	1120/2469
90x90/36"x36"	20/0,80"	1	0,81/8,72	35,2/77,20	30	24,3/261,56	1080/2380

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
pure grey	60x120/24"x48"	20/0,80"	5901503211083	mat	8	R11	IV	✓
	90x90/36"x36"	30/1,20"	5901503218952	mat	7	R11	IV	✓
	90x90/36"x36"	20/0,80"	5901503223925	mat	7	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503207857	mat	6	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503222027	mat	6	R11	IV	✓

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	m ² /sq ft pallet	kg/lb pallet
60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050



graphite 60x60x3/24"x24"x1,20" rectified • 60x60x2/24"x24"x0,80" rectified



graphite 60x120x2/24"x48"x0,80" rectified



graphite 90x90x3/36"x36"x1,20" rectified



graphite 90x90x2/36"x36"x0,80" rectified



color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
graphite	60x120/24"x48"	20/0,80"	5901503211090	mat	8	R11	IV	✓
	90x90/36"x36"	30/1,20"	5901503218914	mat	7	R11	IV	✓
	90x90/36"x36"	20/0,80"	5901503223949	mat	7	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503207840	mat	6	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503222287	mat	6	R11	IV	✓

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	m ² /sq ft pallet	kg/lb pallet
60x120/24"x48"	20/0,80"	1	0,72/7,75	32/70,55	34	24,48/263,50	1088/2399
90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20	16,2/174,40	1120/2469
90x90/36"x36"	20/0,80"	1	0,81/8,72	35,2/77,20	30	24,3/261,56	1080/2380
60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050

vals collection

45x90/18"x36" • 60x120/24"x48"



PEI
IV

R11



STAR
3.0

45x90/18"x36" rectified

STAR
2.0

60x120/24"x48" rectified



/inspired by/ **stone look**

collection formats

available colours



light 45x90x3/18"x36"x1,20" rectified



grey 45x90x3/18"x36"x1,20" rectified



light 60x120x2/24"x48"x0,80" rectified



grey 60x120x2/24"x48"x0,80" rectified



dark 45x90x3/18"x36"x1,20" rectified



dark 60x120x2/24"x48"x0,80" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
light	45x90/18"x36"	30/1,20"	5901503212752	mat	6	R11	IV	✓
grey	45x90/18"x36"	30/1,20"	5901503212745	mat	6	R11	IV	✓
dark	45x90/18"x36"	30/1,20"	5901503212738	mat	6	R11	IV	✓

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	m ² /sq ft pallet	kg/lb pallet
45x90/18"x36"	30/1,20"	1	0,40/4,31	28/61,73	32	12,80/137,80	896/1975

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
light	60x120/24"x48"	20/0,80"	5901503218433	mat	8	R11	IV	✓
grey	60x120/24"x48"	20/0,80"	5901503218426	mat	8	R11	IV	✓
dark	60x120/24"x48"	20/0,80"	5901503218419	mat	8	R11	IV	✓


format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	m ² /sq ft pallet	kg/lb pallet
60x120/24"x48"	20/0,80"	1	0,72/7,75	32/70,55	34	24,48/263,50	1088/2399

spectre collection

60x60/24"x24"




●
*
PEI
IV
R11
□
□
■




/inspired by/ **stone look**

collection formats

available colours



grey 60x60x3/24"x24"x1,20" rectified • 60x60x2/24"x24"x0,80" rectified



dark grey 60x60x3/24"x24"x1,20" rectified • 60x60x2/24"x24"x0,80" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
grey	60x60/24"x24"	30/1,20"	5901503207697	mat	6	R11	IV	✓
	60x60/24"x24"	20/0,80"	5907641446448	mat	6	R11	IV	✓
dark grey	60x60/24"x24"	30/1,20"	5901503207727	mat	7	R11	IV	✓
	60x60/24"x24"	20/0,80"	5907941446806	mat	7	R11	IV	✓

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	m ² /sq ft pallet	kg/lb pallet
60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050



/inspired by/stone look

town collection

60x60/24"x24" • 45x90/18"x36" • 90x90/36"x36"



PEI
IV

R11



STAR
3.0 STAR
2.0

60x60/24"x24" rectified

STAR
3.0

45x90/18"x36" rectified


STAR
2.0

90x90/36"x36" rectified





soft grey 60x60x2/24"x24"x0,80" rectified



beige 60x60x2/24"x24"x0,80" rectified



grey 60x60x3/24"x24"x1,20" rectified • 60x60x2/24"x24"x0,80" rectified



grey 45x90x3/36"x18"x1,20" rectified



grey 90x90x2/36"x36"x0,80" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
soft grey	60x60/24"x24"	20/0,80"	5901503202111	mat	9	R11	IV	✓
beige	60x60/24"x24"	20/0,80"	5901503202142	mat	9	R11	IV	✓

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	m ² /sq ft pallet	kg/lb pallet
60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
grey	90x90/36"x36"	20/0,80"	5901503221488	mat	7	R11	IV	✓
	45x90/18"x36"	30/1,20"	5901503209837	mat	10	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503202128	mat	9	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503208021	mat	9	R11	IV	✓

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	m ² /sq ft pallet	kg/lb pallet
90x90/36"x36"	20/0,80"	1	0,81/8,72	35,2/77,20	30	24,3/261,56	1080/2380
45x90/18"x36"	30/1,20"	1	0,40/4,31	28/61,73	32	12,80/137,80	896/1975



antracite 60x60x3/24"x24"x1,20" rectified • 60x60x2/24"x24"x0,80" rectified



antracite 45x90x3/36"x18"x1,20" rectified



antracite 90x90x2/36"x36"x0,80" rectified



color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
antracite	90x90/36"x36"	20/0,80"	5901503221501	mat	7	R11	IV	✓
	45x90/18"x36"	30/1,20"	5901503209820	mat	10	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503208045	mat	9	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503202135	mat	9	R11	IV	✓

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	m ² /sq ft pallet	kg/lb pallet
90x90/36"x36"	20/0,80"	1	0,81/8,72	35,2/77,20	30	24,3/261,56	1080/2380
45x90/18"x36"	30/1,20"	1	0,40/4,31	28/61,73	32	12,80/137,80	896/1975
60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050



technical information



and product features

- 96 packing system
- 97 technical features
- 98 display system
- 100 layout description
- 102 format index

format cm/in	thk. mm/in	pcs./box	m ² /sq ft box	kg/lb box	box/pallet	m ² /sq ft pallet	kg/lb pallet
collection star 3.0							
60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
45x90/18"x36"	30/1,20"	1	0,40/4,31	28/61,73	32	12,80/137,80	896/1975
90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20	16,2/174,40	1120/2469
collection star 2.0							
60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050
45x90/18"x36"	20/0,80"	2	0,81/8,72	37/81,55	24	19,44/209,25	915/2016
30x120/12"x48"	20/0,80"	1	0,36/3,87	16/35,27	50	18/193,50	800/1764
90x90/36"x36"	20/0,80"	1	0,81/8,72	35,2/77,20	30	24,3/261,56	1080/2380
60x120/24"x48"	20/0,80"	1	0,72/7,75	32/70,55	34	24,48/263,50	1088/2399

Dimension and flatness of surface Abmessungen und ebenheit der fläche Размер и плоскость поверхности		Standards Normen Нормы	N ≥ 15 cm	
			Requirements Anforderungen Требования	Average value Erzielter Durchschnittswert Среднее
	Length, Länge, Длина	EN ISO 10545-2	± 0,6%	± 0,5%
	Width, Breite, Ширина		± 0,6%	± 0,5%
	Thickness, Stärke, Толщина		± 5% / 0,5 mm	± 3% / max 0,5 mm
	Deviation of the angle Abweichung vom winkel Отклонение от угла		± 0,5% / 2mm	± 0,05% / max 2 mm
	Surface flatness Flächenebenheit Плоскость поверхности		± 0,5% / 2mm	± 0,2% / max 2 mm
Physical properties Physikalische eigenschaften Физические свойства		Standards Normen Нормы	Requirements Anforderungen Требования	Average value Erzielter Durchschnittswert Среднее
	Water absorption Wässeraufnahmevermögen Водопоглощаемость	EN ISO 10545-3	E ≤ 0,5%	0,1% - 0,2%
	Breaking strength Modulus of rupture Bruchkraft Препомплюющая сила		for thickness, bei d. Stärke, для толщины ≥ 7,5 mm - ≥ 1300 N	30 MM 26 000 N
	Modulus of rupture Biegefestigkeit Прочность при изгибе	EN ISO 10545-4		20 MM 8 500 N
	Obrasion resistance Abriebfestigkeit Стойкость к абразивному износу	According to the manufacturer's declaration, laut Herstellererklärung, согласно декларации производителя	30 MM 48 N / mm ²	
	Resistance to thermal shock Widerstand gegen Temperaturschock Устойчивость к термическим нагрузкам		EN ISO 10545-9	
	Crazing resistance Rissbeständigkeit Устойчивость к растрескиваниям шт	requirements erforderlich требуемая	IV PEI	
	Frost resistance Frostbeständigkeit Морозостойкость		EN ISO 10545-12	
	Chemical resistance Chemische Beständigkeit Химическая стойкость	min. B	resistant beständig стойкие	
	Resistance to spotting Fleckempfindlichkeit Стойкость к изменению цветового тона		EN ISO 10545-14	
	The release of lead and cadmium Freisetzung von Blei und Cadmium Высвобождение свинца и кадмия	min. 3	5	
	Slip resistance Rutschhemmung Противоскользящие свойства	DIN 51130	According to the manufacturer's declaration, laut Herstellererklärung, согласно декларации производителя	0
				0

Values according / Normwerte / Значення за стандартом: EN 14411:2012
 Certificate / Zertifikate / Сертификаты: PN-EN ISO 9001; PN-EN ISO 14001

display system



module 1 - shelf system

216x52x95 cm (85"x20,5"x37,4") / 250 kg (551 lb)



module 2 - board system

200x185x80 cm (78,7"x72,8"x31,5") / 325 kg (716 lb)



module 3 - board system

24x50x63 cm (9,4"x19,7"x24,8")
/ 5 kg (11 lb)

layout description

layout description

01
collection name and size
02
color samples

03
technical pictograms
04
size pictogram

05
inspiration
06
visualisation



07
page number

08
collection name
09
technical pictograms

10
collection sample faces
11
technical information

12
packing system
13
inspiration

14
visualisation and
collection size
15
collection size



collection	60x120x2 24"x48"x0,8"	30x120x2 12"x48"x0,8" step tile	90x90x3 36"x36"x1,2"	90x90x2 36"x36"x0,80"	45x90x3 18"x18"x1,2"	45x90x2 18"x18"x0,8"	60x60x3 24"x24"x1,2"	60x60x2 24"x24"x0,8"
danzig			38		38		38	38
downtown			46				46	46
downtown decor			46					
halifax					70			
peacock			20	20			20	20
pietra serena	52	52			52		52	
pizarra	32		32	32	32	32	32	32

collection	60x120x2 24"x48"x0,8"	30x120x2 12"x48"x0,8" step tile	90x90x3 36"x36"x1,2"	90x90x2 36"x36"x0,80"	45x90x3 18"x18"x1,2"	45x90x2 18"x18"x0,8"	60x60x3 24"x24"x1,2"	60x60x2 24"x24"x0,8"
select	58					58		58
select decor								58
spectre								84
stark	74			74	74			74
suomi						66		
town					88	88		88
vals	80					80		



STARGRES®

Without an explicit written consent of the Distributor no part of this catalogue may be copied in any form, which covers digital devices and information retrieval and storage systems. Modifications and changes to the products, technical specifications and the catalogue itself are forbidden. The colour of products may differ from the ones shown in the pictures due to limitations in the printing process.



STARGRES SP. Z O.O.

26-200 Końskie
ul. Ceramiczna 5
Poland

www.stargres.pl